



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.         | FILING DATE     | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-------------------------|-----------------|----------------------|---------------------|------------------|
| 10/735,561              | 12/12/2003      | David James Dooley   | PC 25627A           | 3925             |
| 28880                   | 7590 03/02/2006 |                      | EXAMI               | INER             |
| WARNER-LAMBERT COMPANY  |                 |                      | JONES, DWAYNE C     |                  |
| 2800 PLYMC<br>ANN ARBOR | •               |                      | ART UNIT            | PAPER NUMBER     |
|                         | •               |                      | 1614                | <u> </u>         |

DATE MAILED: 03/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

|   | Application No.   | Applicant(s)                |  |  |  |  |
|---|---|-----------------------------|--|--|--|--|
|   | 10/735,561  | DOOLEY ET AL.               |  |  |  |  |
| Office Action Summary   | Examiner  | Art Unit                    |  |  |  |  |
|   | Dwayne C. Jones   | 1614                        |  |  |  |  |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address   |   |                             |  |  |  |  |
| Period for Reply  |   |                             |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). |   |                             |  |  |  |  |
| Status  |   |                             |  |  |  |  |
| 1) Responsive to communication(s) filed on  |   |                             |  |  |  |  |
| 2a) This action is <b>FINAL</b> . 2b) This  | This action is <b>FINAL</b> . 2b) This action is non-final.   |                             |  |  |  |  |
| 3) Since this application is in condition for allowar   | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is |                             |  |  |  |  |
| closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.   |   |                             |  |  |  |  |
| Disposition of Claims   |   |                             |  |  |  |  |
| 4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-16 are subject to restriction and/or expressions.  | vn from consideration.  |                             |  |  |  |  |
| Application Papers  |   |                             |  |  |  |  |
| 9) The specification is objected to by the Examiner.  |   |                             |  |  |  |  |
| 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  |   |                             |  |  |  |  |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).   |   |                             |  |  |  |  |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.  |   |                             |  |  |  |  |
| Priority under 35 U.S.C. § 119  |   |                             |  |  |  |  |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).   |   |                             |  |  |  |  |
| a) ☐ All b) ☐ Some * c) ☐ None of:  |   |                             |  |  |  |  |
| 1. Certified copies of the priority documents have been received.   |   |                             |  |  |  |  |
| 2. Certified copies of the priority documents have been received in Application No  |   |                             |  |  |  |  |
| 3. Copies of the certified copies of the priority documents have been received in this National Stage   |   |                             |  |  |  |  |
| application from the International Bureau (PCT Rule 17.2(a)).   |   |                             |  |  |  |  |
| * See the attached detailed Office action for a list of the certified copies not received.  |   |                             |  |  |  |  |
|   |   |                             |  |  |  |  |
| Attachment(s)   |   |                             |  |  |  |  |
| 1) Notice of References Cited (PTO-892)   | 4) Interview Summary  | (PTO-413)                   |  |  |  |  |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Da   |                             |  |  |  |  |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date  | 6) Other:   | atent Application (PTO-132) |  |  |  |  |

Application/Control Number: 10/735,561 Page 2

Art Unit: 1614

## **DETAILED ACTION**

## Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - Claims 7-12, drawn to methods of treating fibromyalgia, classified in class
     514, subclasses 529, 530, and 561.
  - II. Claims 13-6, drawn to methods of increasing slow wave sleep, classified in class 514, subclasses 529, 530, and 561.
- 2. Claim 1 link(s) inventions I, if the disorder is fibromyalgia only. The restriction requirement between the linked inventions is subject to the nonallowance of the linking claim(s), claims 1-6. Upon the indication of allowability of the linking claim(s), the restriction requirement as to the linked inventions shall be withdrawn and any claim(s) depending from or otherwise requiring all the limitations of the allowable linking claim(s) will be rejoined and fully examined for patentability in accordance with 37 CFR 1.104 Claims that require all the limitations of an allowable linking claim will be entered as a matter of right if the amendment is presented prior to final rejection or allowance, whichever is earlier. Amendments submitted after final rejection are governed by 37 CFR 1.116; amendments submitted after allowance are governed by 37 CFR 1.312.
- 3. Applicant(s) are advised that if any claim(s) including all the limitations of the allowable linking claim(s) is/are presented in a continuation or divisional application, the claims of the continuation or divisional application may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant

Application/Control Number: 10/735,561

Art Unit: 1614

application. Where a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. In re Ziegler, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

Page 3

- 4. Claims 1-6 are generic linking claims if the ailment of fibromyalgia is selected.
- 5. Inventions I and II are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different designs, modes of operation, and effects. In the instant case, the different inventions have different modes of operation and effects because for example the treatment of fibromyalgia would embrace the treatment of various different symptoms and effects, such as pain and mood disturbances, whereas increasing slow wave sleep does not require the treatment of these different symptoms.
- 6. Because these inventions are independent or distinct for the reasons given above and the inventions require a different field of search and have acquired a separate status in the art because of their recognized divergent subject matter (see MPEP § 808.02), restriction for examination purposes as indicated is proper.
- 7. Claim 1 is generic to the following disclosed patentably distinct species: the disorders of OCD, phobias, PTSD, and fibromyalgia. The species are independent or distinct because methods and modes of operation that are used to treat this different ailments and disorders. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, even though this requirement is traversed. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including

Application/Control Number: 10/735,561 Page 4

Art Unit: 1614

any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

- 8. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

  MPEP § 809.02(a).
- 9. Claims 1, 7, 9, 13, and 15 are generic to the following disclosed patentably distinct species: of the various groups that are embraced by variables R, and R<sup>1</sup> –R<sup>14</sup>.. The species are independent or distinct because of the various unrelated chemical moieties that are embraced with each of the above stated variables of R, and R<sup>1</sup> –R<sup>14</sup>. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, even though this requirement is traversed. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.
- 10. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

  MPEP § 809.02(a).

A telephone call to the attorney is not required where: 1) the restriction requirement is complex, 2) the application is being prosecuted pro se, or 3) the examiner knows from past experience that a telephone election will not be made, see MPEP Sect. 812.01.

Page 5

- 11. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.
- 12. The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.
- 13. Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.
- 14. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim

Art Unit: 1614

remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to D. C. Jones whose telephone number is (571) 272-0578. The examiner can normally be reached on Mondays, Tuesdays, Wednesdays, and Fridays from 8:30 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low, may be reached at (571) 272-0951. The official fax No. for correspondence is (571)-273-8300.

Also, please note that U.S. patents and U.S. patent application publications are no longer supplied with Office actions. Accordingly, the <u>cited U.S.</u> patents and patent application publications are available for download via the Office's PAIR, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. As an alternate source, <u>all U.S.</u> patents and patent application publications are available on the USPTO web site (<a href="http://www.uspto.gov">www.uspto.gov</a>), from the Office of Public Records and from commercial sources.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications may be obtained from Private PAIR only. For more information about PAIR system, see http://pair-direct.uspto.gov Should

Application/Control Number: 10/735,561

Art Unit: 1614

you have any questions on access to the Private PAIR system, contact the Electronic

Page 7

Business: Center (EBC) at 1-866-217-9197 (toll free).

PRIMARYEXAMINER

Tech. Ctr. 1614 February 28, 2006